


SUCTION



흡입

WHAT'S MY STATUS?



제 상태가
어떤가요?

CALL MY FAMILY




가족에게 연락해
주세요

LIGHTS ON/OFF



전등 켜기/끄기

TROUBLE BREATHING



호흡 곤란

PAIN



통증

MEDICINE



약

HOT COLD



추워요 / 더워요

BATHROOM



변기

REPOSITION



자세 변경

MOUTH CARE



구강 관리

LETTER BOARD

A	B	C	D	YES	NO
E	F	G	H	YES	NO
I	J	K	L	M	N
O	P	Q	R	S	T
U	V	W	X	Y	Z

글자판

MAYBE - 아마

DON'T KNOW - 모르겠어요

LATER - 나중에

If it's hard for patient to point, please use "partner-assisted scanning"

This is how:





Ask patient to focus on the communication board and find the message they want to communicate.
Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

- 1. Proceed row by row. Point to each row and ask if the desired message is in that row**
(e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, and so on)
- 2. Patient will select a row using the established YES response. Verify the choice out loud.**
- 3. Point to each message within the selected row ("Is it suction?" "Trouble breathing," etc.).**
- 4. Patient will signal that you are pointing to the desired message using established YES response.**
- 5. Confirm the selection & repeat.**

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.



SUCTION 흡입	WHAT'S MY STATUS? 제 상태가 어떤가요?	CALL MY FAMILY 가족에게 연락해 주세요	LIGHTS ON/OFF 전등 켜기/끄기
TROUBLE BREATHING 호흡 곤란	PAIN 통증	MEDICINE 약	HOT / COLD 추워요 / 더워요
BATHROOM (TOILET) 변기	REPOSITION 자세 변경	MOUTH CARE 구강 관리	SOMETHING ELSE/ LETTER BOARD 다른 것 글자판
MAYBE - 아마		DON'T KNOW - 모르겠어요	LATER - 나중에

If it's hard for patient to point, please use "partner-assisted scanning"

This is how:



Ask patient to focus on the communication board and find the message they want to communicate.
Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

- 1. Proceed row by row. Point to each row and ask if the desired message is in that row**
(e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, and so on)
- 2. Patient will select a row using the established YES response. Verify the choice out loud.**
- 3. Point to each message within the selected row ("Is it suction?" "Trouble breathing," etc.).**
- 4. Patient will signal that you are pointing to the desired message using established YES response.**
- 5. Confirm the selection & repeat.**

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.

