

SUCTION



ИЗСМУКВАНЕ

VENTILATOR



ВЕНТИЛАТОР

ANXIOUS/ SCARED



ТРЕВОЖЕН/УП
ЛАСЕН

NURSE



СЕСТРА

DOCTOR



ДОКТОР

CALL MY
FAMILY




ОБАДИ СЕ НА
СЕМЕЙСТВОТО МИ

PAIN



БОЛКА

BREATHING TUBE



ДИХАТЕЛНА
ТРЪБА

HOT



COLD



ГОРЕЩО/СТУДЕНО

REPOSITION



ВЪРНИ ГО НА
МЯСТОТО

PROTECTIVE
EQUIPMENT



ПРЕДПАЗНО
ОБЛЕКЛО

WHAT'S MY
STATUS?




КАКВО МИ Е
СЪСТОЯНИЕТО

MEDICINE



МЕДИЦИНА

TROUBLE
BREATHING



ТРУДНОСТИ
ПРИ ДИШАНЕ

THIRSTY



ЖАДЕН

LIGHTS
ON / OFF



УГАСЯМ/ЗАПАЛВ
АМ ЛАМПАТА

CHAIR



СТОЛ

NO VISITORS



БЕЗ
ПОСЕТИТЕЛИ

MOUTH CARE



ГРИЖА ЗА
УСТНАТА КУХИНА

BATHROOM



БАНЯ (КЛОЗЕТ)

TIME / DAY ?



ВРЕМЕ/ДЕН

TV ON / OFF



ЗАПАЛИ/УГАСИ
ТЕЛЕВИЗОРА

BED



ЛЕГЛО

LETTER BOARD

А Б В Г Д Е
Ё Ж З И Й К
Л М Н О П Р
С Т У Ф Х Ц
Ч Ш Щ Ъ Ы Ъ
Э Ю Я

ДЪСКА ЗА
ПИСАНЕ

MAYBE - МОЖЕ БИ

DON'T KNOW - НЕ ЗНАМ

LATER - ПО-КЪСНО

If it's hard for patient to point, please use "partner-assisted scanning"

This is how:





Ask patient to focus on the communication board and find the message they want to communicate.
Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

- 1. Proceed row by row. Point to each row and ask if the desired message is in that row**
(e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, and so on)
- 2. Patient will select a row using the established YES response. Verify the choice out loud.**
- 3. Point to each message within the selected row ("Is it suction?" "Trouble breathing," etc.).**
- 4. Patient will signal that you are pointing to the desired message using established YES response.**
- 5. Confirm the selection & repeat.**

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.



SUCTION ИЗСМУКВАНЕ	VENTILATOR ВЕНТИЛАТОР	ANXIOUS/ SCARED ТРЕВОЖЕН/УП ЛАСЕН	NURSE СЕСТРА	DOCTOR ДОКТОР	CALL MY FAMILY ОБАДИ СЕ НА СЕМЕЙСТВОТО МИ
PAIN БОЛКА	BREATHING TUBE ДИХАТЕЛНА ТРЪБА	HOT / COLD ГОРЕЩО/СТУДЕНО	REPOSITION ВЪРНИ ГО НА МЯСТОТО	PROTECTIVE EQUIPMENT ПРЕДПАЗНО ОБЛЕКЛО	WHAT'S MY STATUS? КАКВО МИ Е СЪСТОЯНИЕТО
MEDICINE МЕДИЦИНА	TROUBLE BREATHING ТРУДНОСТИ ПРИ ДИШАНЕ	THIRSTY ЖАДЕН	LIGHTS ON / OFF УГАСЯМ/ЗАПАЛВ АМ ЛАМПАТА	CHAIR СТОЛ	NO VISITORS БЕЗ ПОСЕТИТЕЛИ
MOUTH CARE ГРИЖА ЗА УСТНАТА КУХИНА	BATHROOM (Toilet) БАНЯ (КЛОЗЕТ)	TIME / DAY? ВРЕМЕ/ДЕН	TV ON / OFF ЗАПАЛИ/УГАСИ ТЕЛЕВИЗОРА	BED ЛЕГЛО	LETTER BOARD ДЪСКА ЗА ПИСАНЕ
MAYBE - МОЖЕ БИ		DON'T KNOW - НЕ ЗНАМ		LATER - ПО-КЪСНО	

If it's hard for patient to point, please use "partner-assisted scanning"

This is how:



Ask patient to focus on the communication board and find the message they want to communicate.
Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

- 1. Proceed row by row. Point to each row and ask if the desired message is in that row**
(e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, and so on)
- 2. Patient will select a row using the established YES response. Verify the choice out loud.**
- 3. Point to each message within the selected row ("Is it suction?" "Trouble breathing," etc.).**
- 4. Patient will signal that you are pointing to the desired message using established YES response.**
- 5. Confirm the selection & repeat.**

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.

