

SUCTION



吸,抽吸

VENTILATOR



呼吸机

ANXIOUS/ SCARED



焦虑/害怕

NURSE



护士

DOCTOR



医生

CALL MY
FAMILY




给我家里打电话

PAIN



疼痛

BREATHING TUBE



呼吸管

HOT



COLD



热/冷

REPOSITION




复位

PROTECTIVE
EQUIPMENT



防护装备

WHAT'S MY
STATUS?




我的情况如
何？

MEDICINE



药物

TROUBLE
BREATHING



呼吸困难

THIRSTY



口渴

LIGHTS
ON / OFF



开/关灯

CHAIR



椅子

NO VISITORS



谢绝访客

MOUTH CARE



口腔护理

BATHROOM



卫生间 (厕所)

TIME / DAY ?



时间/日期？

TV ON / OFF



开/关电视

BED



床

LETTER BOARD

字母板

MAYBE -可能

DON'T KNOW -不知道

LATER -晚一些

If it's hard for patient to point, please use "partner-assisted scanning"

This is how:





Ask patient to focus on the communication board and find the message they want to communicate.
Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

- 1. Proceed row by row. Point to each row and ask if the desired message is in that row**
(e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, and so on)
- 2. Patient will select a row using the established YES response. Verify the choice out loud.**
- 3. Point to each message within the selected row ("Is it suction?" "Trouble breathing," etc.).**
- 4. Patient will signal that you are pointing to the desired message using established YES response.**
- 5. Confirm the selection & repeat.**

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.



SUCTION 吸,抽吸	VENTILATOR 呼吸机	ANXIOUS/ SCARED 焦虑/害怕	NURSE 护士	DOCTOR 医生	CALL MY FAMILY 给我家里打电话
PAIN 疼痛	BREATHING TUBE 呼吸管	HOT / COLD 热/冷	REPOSITION 复位	PROTECTIVE EQUIPMENT 防护装备	WHAT'S MY STATUS? 我的情况如何？
MEDICINE 药物	TROUBLE BREATHING 呼吸困难	THIRSTY 口渴	LIGHTS ON / OFF 开/关灯	CHAIR 椅子	NO VISITORS 谢绝访客
MOUTH CARE 口腔护理	BATHROOM (Toilet) 卫生间（厕所）	TIME / DAY? 时间/日期？	TV ON / OFF 开/关电视	BED 床	LETTER BOARD 字母板

MAYBE -可能

DON'T KNOW -不知道

LATER -晚一些

If it's hard for patient to point, please use "partner-assisted scanning"

This is how:



Ask patient to focus on the communication board and find the message they want to communicate.
Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

- 1. Proceed row by row. Point to each row and ask if the desired message is in that row**
(e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, and so on)
- 2. Patient will select a row using the established YES response. Verify the choice out loud.**
- 3. Point to each message within the selected row ("Is it suction?" "Trouble breathing," etc.).**
- 4. Patient will signal that you are pointing to the desired message using established YES response.**
- 5. Confirm the selection & repeat.**

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.

