

SUCTION



吸痰

VENTILATOR



呼吸器

ANXIOUS/ SCARED



焦慮/害怕

NURSE



護士

DOCTOR



醫生

CALL MY
FAMILY




打電話給我的
家人

PAIN




痛

BREATHING TUBE



呼吸管

HOT COLD



熱/冷

REPOSITION




翻身/轉身

PROTECTIVE
EQUIPMENT



防護裝備

WHAT'S MY
STATUS?




我的情況如
何?

MEDICINE



藥物

TROUBLE
BREATHING



呼吸困難

THIRSTY



口渴

LIGHTS
ON / OFF



開/關燈

CHAIR



椅子

NO VISITORS



謝絕訪客

MOUTH CARE



口腔護理

BATHROOM



洗手間(廁所)

TIME / DAY ?



時間/日期?

TV ON / OFF



開/關電視

BED



床

LETTER BOARD

字母板

MAYBE -可能

DON'T KNOW -不知道

LATER -遲一點

If it's hard for patient to point, please use "partner-assisted scanning"

This is how:





Ask patient to focus on the communication board and find the message they want to communicate.
Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

- 1. Proceed row by row. Point to each row and ask if the desired message is in that row**
(e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, and so on)
- 2. Patient will select a row using the established YES response. Verify the choice out loud.**
- 3. Point to each message within the selected row ("Is it suction?" "Trouble breathing," etc.).**
- 4. Patient will signal that you are pointing to the desired message using established YES response.**
- 5. Confirm the selection & repeat.**

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.



SUCTION 吸痰	VENTILATOR 呼吸器	ANXIOUS/ SCARED 焦慮/害怕	NURSE 護士	DOCTOR 醫生	CALL MY FAMILY 打電話給我的 家人
PAIN 痛	BREATHING TUBE 呼吸管	HOT / COLD 熱/冷	REPOSITION 翻身/轉身	PROTECTIVE EQUIPMENT 防護裝備	WHAT’S MY STATUS? 我的情況如 何？
MEDICINE 藥物	TROUBLE BREATHING 呼吸困難	THIRSTY 口渴	LIGHTS ON / OFF 開/關燈	CHAIR 椅子	NO VISITORS 謝絕訪客
MOUTH CARE 口腔護理	BATHROOM (Toilet) 洗手間(廁所)	TIME / DAY? 時間/日期？	TV ON / OFF 開/關電視	BED 床	LETTER BOARD 字母板
MAYBE -可能		DON’T KNOW -不知道		LATER -遲一點	

If it's hard for patient to point, please use "partner-assisted scanning"

This is how:



Ask patient to focus on the communication board and find the message they want to communicate.
Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

- 1. Proceed row by row. Point to each row and ask if the desired message is in that row**
(e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, and so on)
- 2. Patient will select a row using the established YES response. Verify the choice out loud.**
- 3. Point to each message within the selected row ("Is it suction?" "Trouble breathing," etc.).**
- 4. Patient will signal that you are pointing to the desired message using established YES response.**
- 5. Confirm the selection & repeat.**

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.

