

SUCTION



ASPIRATION

VENTILATOR



VENTILATEUR

ANXIOUS/ SCARED



ANXIEUX/ EFFRAYÉ

NURSE



L'INFIRMIÈRE

DOCTOR



LE MÉDECIN

CALL MY
FAMILY




APPELEZ MA
FAMILLE

PAIN



DOULEUR

BREATHING TUBE



TUYAU
RESPIRATOIRE

HOT



COLD



CHAUD / FROID

REPOSITION



REPOSITIONNER

PROTECTIVE
EQUIPMENT



ÉQUIPEMENT DE
PROTECTION

WHAT'S MY
STATUS?




MA SITUATION
ACTUELLE?

MEDICINE



MÉDICAMENTS

TROUBLE
BREATHING



J'AI DU MAL À
RESPIRER

THIRSTY



SOIF

LIGHTS
ON / OFF



ALLUMEZ/ÉTEIGN
EZ LA LUMIÈRE

CHAIR



LA CHAISE

NO VISITORS



PAS DE
VISITEURS

MOUTH CARE



SOINS DE
BOUCHE

BATHROOM



LES TOILETTES

TIME / DAY ?



HEURE/ JOUR?

TV ON / OFF



ALLUMEZ /
ETEIGNEZ LA TÉLÉ

BED



LE LIT

LETTER BOARD

A	B	C	D	YES	NO
E	F	G	H	START	NEW
I	J	K	L	OVER	WORD
O	P	Qu	R	S	T
U	V	W	X	Y	Z

TABLEAU AUX
LETTRES

MAYBE - PEUT-ÊTRE

DON'T KNOW - JE NE SAIS PAS

LATER - PLUS TARD

If it's hard for patient to point, please use "partner-assisted scanning"

This is how:





Ask patient to focus on the communication board and find the message they want to communicate.
Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

- 1. Proceed row by row. Point to each row and ask if the desired message is in that row**
(e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, and so on)
- 2. Patient will select a row using the established YES response. Verify the choice out loud.**
- 3. Point to each message within the selected row ("Is it suction?" "Trouble breathing," etc.).**
- 4. Patient will signal that you are pointing to the desired message using established YES response.**
- 5. Confirm the selection & repeat.**

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.



SUCTION ASPIRATION	VENTILATOR VENTILATEUR	ANXIOUS/ SCARED ANXIEUX/ EFFRAYÉ	NURSE L'INFIRMIÈRE	DOCTOR LE MÉDECIN	CALL MY FAMILY APPELEZ MA FAMILLE
PAIN DOULEUR	BREATHING TUBE TUYAU RESPIRATOIRE	HOT / COLD CHAUD / FROID	REPOSITION REPOSITIONNER	PROTECTIVE EQUIPMENT ÉQUIPEMENT DE PROTECTION	WHAT'S MY STATUS? MA SITUATION ACTUELLE?
MEDICINE MÉDICAMENTS	TROUBLE BREATHING J'AI DU MAL À RESPIRER	THIRSTY SOIF	LIGHTS ON / OFF ALLUMEZ/ÉTEIGN EZ LA LUMIÈRE	CHAIR LA CHAISE	NO VISITORS PAS DE VISITEURS
MOUTH CARE SOINS DE BOUCHE	BATHROOM (Toilet) LES TOILETTES	TIME / DAY? HEURE/ JOUR?	TV ON / OFF ALLUMEZ / ETEIGNEZ LA TÉLÉ	BED LE LIT	LETTER BOARD TABLEAU AUX LETTRES

MAYBE - PEUT-ÊTRE

DON'T KNOW - JE NE SAIS PAS

LATER - PLUS TARD

If it's hard for patient to point, please use "partner-assisted scanning"

This is how:



Ask patient to focus on the communication board and find the message they want to communicate.
Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

- 1. Proceed row by row. Point to each row and ask if the desired message is in that row**
(e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, and so on)
- 2. Patient will select a row using the established YES response. Verify the choice out loud.**
- 3. Point to each message within the selected row ("Is it suction?" "Trouble breathing," etc.).**
- 4. Patient will signal that you are pointing to the desired message using established YES response.**
- 5. Confirm the selection & repeat.**

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.

