


SUCTION



ASPIRASYON

WHAT'S MY STATUS?



**KISA ETA MWEN
YE?**

CALL MY FAMILY




RELE FANMI M

LIGHTS ON/OFF



**LIMYÈ YO
LIMEN/ETENN**

TROUBLE BREATHING



**TWOUB
RESPIRASYON**

PAIN



DOULÈ

MEDICINE



MEDIKAMAN

HOT



COLD



CHO / FRÈT

BATHROOM



TWALÈT

REPOSITION



REPOZISYONE

MOUTH CARE



**SWEN POU
BOUCH**

LETTER BOARD

A	B	C	D	YES	NO
E	F	G	H	YES	NO
I	J	K	L	M	N
O	P	Q	R	S	T
U	V	W	X	Y	Z

TABLO LÈT YO

MAYBE - PETÈT

DON'T KNOW – PA KONNEN

LATER - PITA

If it's hard for patient to point, please use "partner-assisted scanning"

This is how:





Ask patient to focus on the communication board and find the message they want to communicate.
Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

- 1. Proceed row by row. Point to each row and ask if the desired message is in that row**
(e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, and so on)
- 2. Patient will select a row using the established YES response. Verify the choice out loud.**
- 3. Point to each message within the selected row ("Is it suction?" "Trouble breathing," etc.).**
- 4. Patient will signal that you are pointing to the desired message using established YES response.**
- 5. Confirm the selection & repeat.**

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.



SUCTION ASPIRASYON	WHAT'S MY STATUS? KISA ETA MWEN YE?	CALL MY FAMILY RELE FANMI M	LIGHTS ON/OFF LIMYÈ YO LIMEN/ETENN
TROUBLE BREATHING TWOUB RESPIRASYON	PAIN DOULÈ	MEDICINE MEDIKAMAN	HOT / COLD CHO / FRÈT
BATHROOM (TOILET) TWALET	REPOSITION REPOZISYONE	MOUTH CARE SWEN POU BOUCH	SOMETHING ELSE/ LETTER BOARD YON LÒT BAGAY / TABLO LÈT YO
MAYBE - PETÈT		DON'T KNOW – PA KONNEN	LATER - PITA

If it's hard for patient to point, please use "partner-assisted scanning"

This is how:



Ask patient to focus on the communication board and find the message they want to communicate.
Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

- 1. Proceed row by row. Point to each row and ask if the desired message is in that row**
(e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, and so on)
- 2. Patient will select a row using the established YES response. Verify the choice out loud.**
- 3. Point to each message within the selected row ("Is it suction?" "Trouble breathing," etc.).**
- 4. Patient will signal that you are pointing to the desired message using established YES response.**
- 5. Confirm the selection & repeat.**

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.

