


SUCTION



ASPIRASYON

VENTILATOR



RESPIRATÈ

ANXIOUS/ SCARED



KÈ SOTE/PÈ

NURSE



ENFIMYÈ

DOCTOR



DOKTÈ

CALL MY
FAMILY




RELE FANMI M

PAIN




DOULÈ

BREATHING TUBE



TIYO
RESPIRASYON

HOT COLD



CHO / FRÈT

REPOSITION




REPOZISYONE

PROTECTIVE
EQUIPMENT



EKIPMAN
PWOTEKSYON

WHAT'S MY
STATUS?



KISA ETA MWEN
YE?

MEDICINE



MEDIKAMAN

TROUBLE
BREATHING



TWOUB
RESPIRASYON

THIRSTY



SWAF

LIGHTS
ON / OFF



LIMYÈ YO
LIMEN/ETENN

CHAIR



CHÈZ

NO VISITORS



OKENN VIZITÈ

MOUTH CARE



SWEN POU
BOUCH

BATHROOM



TWALÈT

TIME / DAY ?



LÈ/JOU?

TV ON / OFF



TELEVIZYON
LIMEN/ETENN

BED



KABANN

LETTER BOARD



TABLO LÈT YO

MAYBE - PETÈT

DON'T KNOW – PA KONNEN

LATER - PITA

If it's hard for patient to point, please use "partner-assisted scanning"

This is how:





Ask patient to focus on the communication board and find the message they want to communicate.
Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

- 1. Proceed row by row. Point to each row and ask if the desired message is in that row**
(e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, and so on)
- 2. Patient will select a row using the established YES response. Verify the choice out loud.**
- 3. Point to each message within the selected row ("Is it suction?" "Trouble breathing," etc.).**
- 4. Patient will signal that you are pointing to the desired message using established YES response.**
- 5. Confirm the selection & repeat.**

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.



SUCTION ASPIRASYON	VENTILATOR RESPIRATÈ	ANXIOUS/ SCARED KÈ SOTE/PÈ	NURSE ENFIMYÈ	DOCTOR DOKTÈ	CALL MY FAMILY RELE FANMI M
PAIN DOULÈ	BREATHING TUBE TIYO RESPIRASYON	HOT / COLD CHO / FRÈT	REPOSITION REPOZISYONE	PROTECTIVE EQUIPMENT EKIPMAN PWOTEKSYON	WHAT'S MY STATUS? KISA ETA MWEN YE?
MEDICINE MEDIKAMAN	TROUBLE BREATHING TWOUB RESPIRASYON	THIRSTY SWAF	LIGHTS ON / OFF LIMYÈ YO LIMEN/ETENN	CHAIR CHÈZ	NO VISITORS OKENN VIZITÈ
MOUTH CARE SWEN POU BOUCH	BATHROOM (Toilet) TWALET	TIME / DAY? LÈ/JOU?	TV ON / OFF TELEVIZYON LIMEN/ETENN	BED KABANN	LETTER BOARD TABLO LÈT YO
MAYBE - PETÈT		DON'T KNOW – PA KONNEN		LATER - PITA	

If it's hard for patient to point, please use "partner-assisted scanning"

This is how:



Ask patient to focus on the communication board and find the message they want to communicate.
Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

- 1. Proceed row by row. Point to each row and ask if the desired message is in that row**
(e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, and so on)
- 2. Patient will select a row using the established YES response. Verify the choice out loud.**
- 3. Point to each message within the selected row ("Is it suction?" "Trouble breathing," etc.).**
- 4. Patient will signal that you are pointing to the desired message using established YES response.**
- 5. Confirm the selection & repeat.**

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.

