


SUCTION



တၢ်ဆူးသဝံးတၢ်

VENTILATOR



စဲးပိၤဘိၤလၢ အပျဲန့ၣ်လီၤ
ဟးထီၣ် ကလံၤ

ANXIOUS/ SCARED



သျှၢ်ကိၤသးဂီၤ/ ပျံၤတၢ်

NURSE



ကသံၣ်သရၢ်ကွၢ်ပုၤဆါ

DOCTOR



ကသံၣ်သရၢ်

CALL MY FAMILY




ကိး လီၤတဲစိဆူ
ယပုၤဟံၣ်ဖိ

PAIN



တၢ်ဆါ

BREATHING TUBE



တၢ်သါထီၣ်သါလီၤ
ပိၤဘိၤ

HOT



COLD



တၢ်ကိၤ / တၢ်ဂီၤ

REPOSITION




ဆိတလဲကွံာ် တၢ်လီၤ

PROTECTIVE EQUIPMENT



တၢ်ပိးတၢ်လီၤလၢ
အဒိသဒါတၢ်

WHAT'S MY STATUS?



ယတၢ်ဆါ အတၢ်အိၣ်သး
မၤအသး ဒ်လဲၣ်.

MEDICINE



ကသံၣ်ကသီ

TROUBLE BREATHING



ကသါ ကိခဲ

THIRSTY



တၢ်သူးသး လၢထံ

LIGHTS ON / OFF



မၤကပိၤ/မၤသံကွံာ်
မ့ၣ်အူ

CHAIR



လီၤဆူၣ်နီၤ

NO VISITORS



ပုၤလဲၤအိၣ်သကိး
တသ့ဘၣ်

MOUTH CARE



တၢ်ကွၢ်ထွဲ ကိၢ်ပူၤ

BATHROOM



တၢ်လုၢ်ထံဒါး

TIME / DAY ?



တၢ်ဆါကတိၢ်/ နံၤသီ

TV ON / OFF



အိးထီၣ်/ပတၢ်ကွံာ်
ကွၢ်ဟူဖျါ

BED



လီၤမံ

LETTER BOARD



လံာ်မိၢ်ပုၤ လၢၢ်သ့ၣ်ဘၣ်

MAYBE - ဘၣ်သ့ၣ်သ့ၣ်

DON'T KNOW - တသ့ၣ်ညါဘၣ်

LATER - လၢခံ

If it's hard for patient to point, please use "partner-assisted scanning"

This is how:





Ask patient to focus on the communication board and find the message they want to communicate.
Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

- 1. Proceed row by row. Point to each row and ask if the desired message is in that row**
(e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, and so on)
- 2. Patient will select a row using the established YES response. Verify the choice out loud.**
- 3. Point to each message within the selected row ("Is it suction?" "Trouble breathing," etc.).**
- 4. Patient will signal that you are pointing to the desired message using established YES response.**
- 5. Confirm the selection & repeat.**

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.



SUCTION တၢ်ဆူးသဝံးတၢ်	VENTILATOR စဲးပိၤဘိလၢ အပျဲန့ၢ်လီၤ ဟးထီၣ် ကလံၤ	ANXIOUS/ SCARED သျှၣ်ကိၢ်သးဂီၤ/ ပျံၤတၢ်	NURSE ကသံၣ်သရၣ်ကွၢ်ပှၤဆါ	DOCTOR ကသံၣ်သရၣ်	CALL MY FAMILY ကိး လီၤတဲစိဆူ ယပှၤဟံၣ်ဖိ
PAIN တၢ်ဆါ	BREATHING TUBE တၢ်သါထီၣ်သါလီၤ ပိၤဘိ	HOT / COLD တၢ်ကိၢ် / တၢ်ဂီၢ်	REPOSITION ဆိတလဲကွံာ် တၢ်လီၢ်	PROTECTIVE EQUIPMENT တၢ်ပိးတၢ်လီလၢ အဒိသဒါတၢ်	WHAT’S MY STATUS? ယတၢ်ဆါ အတၢ်အိၣ်သး မၤအသး ဒ်လဲၣ်.
MEDICINE ကသံၣ်ကသီ	TROUBLE BREATHING ကသါ ကိခဲ	THIRSTY တၢ်သူးသး လၢထံ	LIGHTS ON / OFF မၤကပီၤ/မၤသံကွံာ် မ့ၣ်အူ	CHAIR လီၤဆ့ၣ်နီၤ	NO VISITORS ပှၤလဲၤအိၣ်သကိး တသ့ဘၣ်
MOUTH CARE တၢ်ကွၢ်ထွဲ ကိၢ်ပူၤ	BATHROOM (Toilet) တၢ်လုၢ်ထံဒါး	TIME / DAY? တၢ်ဆါကတိၢ်/ နံၤသီ	TV ON / OFF အိးထီၣ်/ပတုၢ်ကွံာ် ကွၢ်ဟူဖျါ	BED လီၤမံ	LETTER BOARD လံာ်မိၢ်ပှၤ လၢၢ်သ့ၣ်ဘၣ်
MAYBE - ဘၣ်သ့ၣ်သ့ၣ်		DON’T KNOW - တသ့ၣ်ညါဘၣ်		LATER - လၢခံ	

If it's hard for patient to point, please use "partner-assisted scanning"

This is how:



Ask patient to focus on the communication board and find the message they want to communicate.
Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

- 1. Proceed row by row. Point to each row and ask if the desired message is in that row**
(e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, and so on)
- 2. Patient will select a row using the established YES response. Verify the choice out loud.**
- 3. Point to each message within the selected row ("Is it suction?" "Trouble breathing," etc.).**
- 4. Patient will signal that you are pointing to the desired message using established YES response.**
- 5. Confirm the selection & repeat.**

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.

