







If it's hard for patient to point, please use "partner-assisted scanning"

This is how:





Ask patient to focus on the communication board and find the message they want to communicate.
Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

1. **Proceed row by row. Point to each row and ask if the desired message is in that row**
(e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, and so on)
2. **Patient will select a row using the established YES response. Verify the choice out loud.**
3. **Point to each message within the selected row ("Is it suction?" "Trouble breathing," etc.).**
4. **Patient will signal that you are pointing to the desired message using established YES response.**
5. **Confirm the selection & repeat.**

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.



pain



တၢ်ဆါ

adjust bed



မၤဘၣ်က့ၤ လိာ်မံ

medicine



ကသံၣ်ကသီ

swab mouth




ဘဲထွါ ကိာ်ပူၤ

When tube out?



ကဘၣ် ထွဲကွံာ် တၢ်သါထီၣ်သါလီၤ ပီၤဘၣ် အခါဖဲလဲၣ်.

suction




တၢ်ဆူးသဝံးတၢ်

fix pillow



မၤဘၣ်က့ၤ ခိၣ်တခါၣ်

my breathing



ယ တၢ်သါထီၣ်သါလီၤ

hold my hand



ဖီၣ်ဃာ် ယ စု

How am I doing?



ယ တၢ်အိၣ်သး မၤအသး ဒီလဲၣ်.

bathroom



တၢ်လုၢ်ထံဒါး

cold



တၢ်ဂီၢ်

hot



တၢ်ကိာ်

itchy




တၢ်သး

family



ဟံၣ်ဖီဃီဖီ

toys




တၢ်လိၣ်ကွဲးဖိ

TV



ကွဲးဟူၤဖျါ

listen to music



ဒိကန့ၣ်တၢ်သးဝံၣ်

entertainment



တၢ်မၤသျှၣ်ဖွဲးသးညီတၢ်

leave me alone



ပျဲယအိၣ်တဂၤ

YES



မ့ၢ်

I DON'T KNOW

?

ယတသ့ၣ်ညါဘၣ်

SOMETHING ELSE



တၢ်အဂၤတမံၤမံၤ

NO



တမ့ၢ်ဘၣ်

If it's hard for patient to point, please use "partner-assisted scanning"

This is how:



Ask patient to focus on the communication board and find the message they want to communicate.
Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

1. **Proceed row by row. Point to each row and ask if the desired message is in that row**
(e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, and so on)
2. **Patient will select a row using the established YES response. Verify the choice out loud.**
3. **Point to each message within the selected row ("Is it suction?" "Trouble breathing," etc.).**
4. **Patient will signal that you are pointing to the desired message using established YES response.**
5. **Confirm the selection & repeat.**

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.

