

YES



မုၢ်
ၵံ

NO



တမုၢ်ဘၣ်
ၵံ

I DON'T KNOW

ယတသ့ၣ်ညါဘၣ်
ၵံ

If it's hard for patient to point, please use "partner-assisted scanning"




Ask patient to focus on the communication board

Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

1. Proceed cell by cell across the yes/no board. Point to each item and ask if that is the patient's response.
2. Patient will signal that you are pointing to the desired response using established YES response
3. Confirm the selection & repeat if necessary

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.




YES



မုၢ်
မုၢ်

NO



တမုၢ်ဘၣ်

I DON'T KNOW

ယတသ့ၣ်ညါဘၣ်

If it's hard for patient to point, please use "partner-assisted scanning"




Ask patient to focus on the communication board

Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

1. Proceed cell by cell across the yes/no board . Point to each item and ask if that is the patient's response.
2. Patient will signal that you are pointing to the desired response using established YES response
3. Confirm the selection & repeat if necessary

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.



YES

မုၢ်

NO

တမုၢ်ဘၣ်

**DON'T
KNOW**

ယတသ့ၣ်ညါဘၣ်

LATER

လၢခံ

If it's hard for patient to point, please use “partner-assisted scanning”




Ask patient to focus on the communication board

Establish patient's “yes” (i.e. nodding, blinking, thumbs up, etc.)

1. Proceed cell by cell across the yes/no board . Point to each item and ask if that is the patient's response.
2. Patient will signal that you are pointing to the desired response using established YES response.
3. Confirm the selection & repeat if necessary.

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand your speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.



YES

မုၢ်
ၵ်

NO

တမုၢ်ဘၣ်
ၵ်

**DON'T
KNOW**

ယတသ့ၣ်ညါဘၣ်
ၵ်

LATER

လၢခံ

If it's hard for patient to point, please use "partner-assisted scanning"



Ask patient to focus on the communication board

Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

1. Proceed cell by cell across the yes/no board . Point to each item and ask if that is the patient's response.
2. Patient will signal that you are pointing to the desired response using established YES response.
3. Confirm the selection & repeat if necessary.

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand your speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.

