

SUCTION



흡입

VENTILATOR



산소 호흡기

ANXIOUS/ SCARED



불안 / 두려움

NURSE



간호사

DOCTOR



의사

CALL MY FAMILY




가족에게 연락해 주세요

PAIN



통증

BREATHING TUBE



호흡 튜브

HOT



COLD



추워요/더워요

REPOSITION




자세 변경

PROTECTIVE EQUIPMENT



보호 장비

WHAT'S MY STATUS?




제 상태가 어떤가요?

MEDICINE



약

TROUBLE BREATHING



호흡 곤란

THIRSTY



목 말라요

LIGHTS ON / OFF



전등
켜기/끄기

CHAIR



의자

NO VISITORS



방문객 금지

MOUTH CARE



구강 관리

BATHROOM



변기

TIME / DAY ?



시간/요일?

TV ON / OFF



tv 켜기/끄기

BED



침대

LETTER BOARD



글자판

MAYBE - 아마

DON'T KNOW - 모르겠어요

LATER - 나중에

If it's hard for patient to point, please use "partner-assisted scanning"

This is how:





Ask patient to focus on the communication board and find the message they want to communicate.
Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

- 1. Proceed row by row. Point to each row and ask if the desired message is in that row**
(e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, and so on)
- 2. Patient will select a row using the established YES response. Verify the choice out loud.**
- 3. Point to each message within the selected row ("Is it suction?" "Trouble breathing," etc.).**
- 4. Patient will signal that you are pointing to the desired message using established YES response.**
- 5. Confirm the selection & repeat.**

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.



SUCTION	VENTILATOR	ANXIOUS/ SCARED	NURSE	DOCTOR	CALL MY FAMILY
흡입	산소 호흡기	불안 / 두려움	간호사	의사	가족에게 연락해 주세요
PAIN	BREATHING TUBE	HOT / COLD	REPOSITION	PROTECTIVE EQUIPMENT	WHAT'S MY STATUS?
통증	호흡 튜브	추워요/더워요	자세 변경	보호 장비	제 상태가 어떤가요?
MEDICINE	TROUBLE BREATHING	THIRSTY	LIGHTS ON / OFF	CHAIR	NO VISITORS
약	호흡 곤란	목 말라요	전등 켜기/끄기	의자	방문객 금지
MOUTH CARE	BATHROOM (Toilet)	TIME / DAY?	TV ON / OFF	BED	LETTER BOARD
구강 관리	변기	시간/요일?	tv 켜기/끄기	침대	글자판
MAYBE - 아마		DON'T KNOW - 모르겠어요		LATER - 나중에	

If it's hard for patient to point, please use "partner-assisted scanning"

This is how:



Ask patient to focus on the communication board and find the message they want to communicate.
Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

- 1. Proceed row by row. Point to each row and ask if the desired message is in that row**
(e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, and so on)
- 2. Patient will select a row using the established YES response. Verify the choice out loud.**
- 3. Point to each message within the selected row ("Is it suction?" "Trouble breathing," etc.).**
- 4. Patient will signal that you are pointing to the desired message using established YES response.**
- 5. Confirm the selection & repeat.**

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.

