


SUCTION



SUCÇÃO

VENTILATOR



RESPIRADOR

ANXIOUS/ SCARED



ANSIOSO(A)/
ASSUSTADO(A)

NURSE



ENFERMEIRO (A)

DOCTOR



MÉDICO (A)

CALL MY
FAMILY



LIGUE PARA
MINHA FAMÍLIA

PAIN



DOR

BREATHING TUBE



TUBO
RESPIRATÓRIO

HOT



COLD



QUENTE/FRIO

REPOSITION



MUDAR DE
POSIÇÃO

PROTECTIVE
EQUIPMENT



EQUIPAMENTO DE
PROTEÇÃO

WHAT'S MY
STATUS?




QUAL É O MEU
STATUS?

MEDICINE



REMÉDIO

TROUBLE
BREATHING



DIFICULDADE
DE RESPIRAR

THIRSTY



COM SEDE

LIGHTS
ON / OFF



LUZES ACESAS/
APAGADAS

CHAIR



CADEIRA

NO VISITORS



NÃO PODE
RECEBER VISITAS

MOUTH CARE



HIGIENE BUCAL

BATHROOM



BANHEIRO
(TOALETE)

TIME / DAY ?



HORA / DIA?

TV ON / OFF



TELEVISÃO
LIGADA/
DESLIGADA

BED



CAMA

LETTER BOARD

A	B	C	D	YES	NO
E	F	G	H	START	NEW
I	J	K	L	OVER	WORD
O	P	Q	R	S	T
U	V	W	X	Y	Z

PRANCHA
ALFABÉTICA

MAYBE - TALVEZ

DON'T KNOW-NÃO SABER

LATER - MAIS TARDE

If it's hard for patient to point, please use "partner-assisted scanning"

This is how:





Ask patient to focus on the communication board and find the message they want to communicate.
Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

- 1. Proceed row by row. Point to each row and ask if the desired message is in that row**
(e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, and so on)
- 2. Patient will select a row using the established YES response. Verify the choice out loud.**
- 3. Point to each message within the selected row ("Is it suction?" "Trouble breathing," etc.).**
- 4. Patient will signal that you are pointing to the desired message using established YES response.**
- 5. Confirm the selection & repeat.**

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.



SUCTION SUCÇÃO	VENTILATOR RESPIRADOR	ANXIOUS/ SCARED ANSIOSO(A)/ ASSUSTADO(A)	NURSE ENFERMEIRO (A)	DOCTOR MÉDICO (A)	CALL MY FAMILY LIGUE PARA MINHA FAMÍLIA
PAIN DOR	BREATHING TUBE TUBO RESPIRATÓRIO	HOT / COLD QUENTE/FRIO	REPOSITION MUDAR DE POSIÇÃO	PROTECTIVE EQUIPMENT EQUIPAMENTO DE PROTEÇÃO	WHAT'S MY STATUS? QUAL É O MEU STATUS?
MEDICINE REMÉDIO	TROUBLE BREATHING DIFICULDADE DE RESPIRAR	THIRSTY COM SEDE	LIGHTS ON / OFF LUZES ACESAS/ APAGADAS	CHAIR CADEIRA	NO VISITORS NÃO PODE RECEBER VISITAS
MOUTH CARE HIGIENE BUCAL	BATHROOM (Toilet) BANHEIRO (TOALETE)	TIME / DAY? HORA / DIA?	TV ON / OFF TELEVISÃO LIGADA/ DESLIGADA	BED CAMA	LETTER BOARD PRANCHA ALFABÉTICA
MAYBE - TALVEZ		DON'T KNOW-NÃO SABER		LATER - MAIS TARDE	

If it's hard for patient to point, please use "partner-assisted scanning"

This is how:



Ask patient to focus on the communication board and find the message they want to communicate.
Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

- 1. Proceed row by row. Point to each row and ask if the desired message is in that row**
(e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, and so on)
- 2. Patient will select a row using the established YES response. Verify the choice out loud.**
- 3. Point to each message within the selected row ("Is it suction?" "Trouble breathing," etc.).**
- 4. Patient will signal that you are pointing to the desired message using established YES response.**
- 5. Confirm the selection & repeat.**

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.

