

SUCTION



SUCTION

VENTILATOR



VENTILATOR

ANXIOUS/ SCARED



**NABABALISA/
NATATAKOT**

NURSE



NARS

DOCTOR



DOKTOR

**CALL MY
FAMILY**




**TAWAGAN ANG
AKING PAMILYA**

PAIN




PANANAKIT

BREATHING TUBE



**TUBO PARA SA
PAGHINGA**

HOT COLD



MAINIT/MALAMIG

REPOSITION




IPOSISYON ULIT

**PROTECTIVE
EQUIPMENT**



**PAMPROTEKSYONG
KAGAMITAN**

**WHAT'S MY
STATUS?**




**ANO ANG AKING
KUNDISYON?**

MEDICINE



GAMOT

**TROUBLE
BREATHING**



**HIRAP SA
PAGHINGA**

THIRSTY



NAUUhAW

**LIGHTS
ON / OFF**



**I-ON/I-OFF
ANG ILAW**

CHAIR



UPUAN

NO VISITORS



**WALANG
BISITA**

MOUTH CARE



**PANGANGALAG
A SA BIBIG**

BATHROOM



PALIKURAN

TIME / DAY ?



ORAS / ARAW?

TV ON / OFF




**I-ON/I-OFF ANG
TV**

BED



HIGAAN

LETTER BOARD



LETTER BOARD

MAYBE - SIGURO

DON'T KNOW - HINDI ALAM

LATER - SA IBANG PAGKAKATAON

If it's hard for patient to point, please use "partner-assisted scanning"

This is how:





Ask patient to focus on the communication board and find the message they want to communicate.
Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

- 1. Proceed row by row. Point to each row and ask if the desired message is in that row**
(e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, and so on)
- 2. Patient will select a row using the established YES response. Verify the choice out loud.**
- 3. Point to each message within the selected row ("Is it suction?" "Trouble breathing," etc.).**
- 4. Patient will signal that you are pointing to the desired message using established YES response.**
- 5. Confirm the selection & repeat.**

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.



SUCTION SUCTION	VENTILATOR VENTILATOR	ANXIOUS/ SCARED NABABALISA/ NATATAKOT	NURSE NARS	DOCTOR DOKTOR	CALL MY FAMILY TAWAGAN ANG AKING PAMILYA
PAIN PANANAKIT	BREATHING TUBE TUBO PARA SA PAGHINGA	HOT / COLD MAINIT/MALAMIG	REPOSITION IPOSISYON ULIT	PROTECTIVE EQUIPMENT PAMPROTEKSYONG KAGAMITAN	WHAT'S MY STATUS? ANO ANG AKING KUNDISYON?
MEDICINE GAMOT	TROUBLE BREATHING HIRAP SA PAGHINGA	THIRSTY NAUUHAW	LIGHTS ON / OFF I-ON/I-OFF ANG ILAW	CHAIR UPUAN	NO VISITORS WALANG BISITA
MOUTH CARE PANGANGALAG A SA BIBIG	BATHROOM (Toilet) PALIKURAN	TIME / DAY? ORAS / ARAW?	TV ON / OFF I-ON/I-OFF ANG TV	BED HIGAAN	LETTER BOARD LETTER BOARD
MAYBE - SIGURO		DON'T KNOW - HINDI ALAM		LATER - SA IBANG PAGKAKATAON	

If it's hard for patient to point, please use "partner-assisted scanning"

This is how:



Ask patient to focus on the communication board and find the message they want to communicate.
Establish patient's "yes" (i.e. nodding, blinking, thumbs up, etc.)

- 1. Proceed row by row. Point to each row and ask if the desired message is in that row**
(e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, and so on)
- 2. Patient will select a row using the established YES response. Verify the choice out loud.**
- 3. Point to each message within the selected row ("Is it suction?" "Trouble breathing," etc.).**
- 4. Patient will signal that you are pointing to the desired message using established YES response.**
- 5. Confirm the selection & repeat.**

Additional Considerations:

- Hold this tool ~12 inches (~30 cm) from the patient's face.
- Ensure good lighting, head positioning, and vision.
- Speak **loudly** and **clearly** using **simple language**.
- Wearing masks and other PPE may make it difficult to understand speech. Consider using communication tools when speaking to the patient as well.
- If the patient can't use this tool effectively now, that does not mean the patient won't be able to use it later today, tomorrow, or this week. Continue to provide opportunities to support communication.

